

CATALOGUE

PRODUCT

ALUMINIUM GREENHOUSES







Design and quality.

Our aluminium greenhouses are genius in simplicity and yet affordable and cost-efficient. We have combined functionality, quality and long-lasting aesthetic appeal that stands the test of time with.

The dynamic pace of daily life calls for innovative approaches in every aspect, therefore, we offer unique structural solutions for easier assembly.

All of the designs offered are intended to provide you with a variety of options to suit any taste and needs.

All materials used in production of greenhouses are carefully selected and production - optimised to the perfection.





Help your customers create their dream gardens



EXPERIENCE. INNOVATIONS. SUSTAINABILITY.

We are a sustainability-oriented company with more than 30-year experience in creating premium quality, reliable products with high added Value for our clients all over the Europe.

Our team consists of the best product engineers who have unlimited access to the most innovative technologies, which enable the implementation of new ideas at the highest level.







A beautiful way to transform any garden into an oasis

Our top-selling aluminium greenhouses are made to perfectly fit in any garden, yard or terrace.

The versatility of design solutions is the key element that will attract more gardening enthusiasts and potential buyers.


The ability to customize color, decor and other elements is important when it comes to adjusting to clients' individual vision of the perfect outcome.

The time is now - help your clients to start a more sustainable lifestyle and being closer to nature.











CLASSIC ACCOYA FUSION

For all models:

- ✓ Delivery 1-2 weeks
- √ Base included
- √ Black matte color
- √ Water drainage included
- ✓ Possible to paint any RAL tone (delivery 1-2 weeks)
- √ Optional a decorative roof ridge



CLASSIC WITH SMALL BUILT-IN STORAGE



CLASSIC WITH MEDIUM BUILT-IN STORAGE



CLASSIC WITH LARGE BUILT-IN STORAGE



CLASSIC WITH SMALL BUILT-IN STORAGE ACCOYA FUSION



Roof

CLASSIC WITH MEDIUM BUILT-IN STORAGE ACCOYA FUSION



CLASSIC WITH LARGE BUILT-IN STORAGE ACCOYA FUSION

	(mm)	(mm)	(mm)	(mm)	height (mm)	(m ²)	windows
	2352	1606	2333	1769	1636	3,77	1
兴	2352	2352	2333	1769	1636	5,53	1
	2352	3098	2333	1769	1636	7,29	1
RAG	2352	3844	2333	1769	1636	9,04	2
ō	2352	4590	2333	1769	1636	10,80	3
\vdash	2352	5336	2333	1769	1636	12,55	4
S	2352	6082	2333	1769	1636	14,30	4
+	3098	1606	2678	1940	1806	4,97	1
O	3098	2352	2678	1940	1806	7,29	1
S	3098	3098	2678	1940	1806	9,60	1
S	3098	3844	2678	1940	1806	11,91	2
4	3098	4590	2678	1940	1806	14,22	3
\Box	3098	5336	2678	1940	1806	16,53	4
	3098	6082	2678	1940	1806	18,84	4

Width Lenght Height Side height Door/Side Area

- √ Small storage is 1 glazing row wide
- √ Medium storage is 2 glazing rows wide
- √ Large storage is 3 glazing rows wide



WALL MOUNTED

	Width (mm)	Lenght (mm)	Height (mm)	Door/Side height (mm)	Area (m²)	Roof windows
	2351	1606	2317	1650	3,77	1
	2351	2352	2317	1650	5,52	1
	2351	3098	2317	1650	7,28	1
쁜	2351	3844	2317	1650	9,03	2
UNTE	2351	4590	2317	1650	10,79	3
5	2351	5336	2317	1650	12,54	4
ō	2351	6082	2317	1650	14,29	4
Σ	3099	1606	2492	1850	4,97	1
	3099	2352	2492	1850	7,28	1
ы	3099	3098	2492	1850	9,6	1
4	3099	3844	2492	1850	11,91	2
WALI	3099	4590	2492	1850	14,22	3
	3099	5336	2492	1850	16,53	4
	3099	6082	2492	1850	18,84	4



WALL MOUNTED

For a wall mounted greenhouse the height of the wall is optional from 10 to 50 cm.





	Width (mm)	Lenght (mm)	Height (mm)	Door/Side height (mm)	Area (m²)	Roof windows
	2350	1570	2676	1850	3,69	1
	3100	1570	2676	1850	4,87	1
	3850	1570	2676	1850	6,04	1
	4600	1570	2676	1850	7,22	2
2	5400	1570	2676	1850	8,48	2
EAN-TC	6100	1570	2676	1850	9,58	2
4	2350	1570	2475	1650	3,69	1
1	3100	1570	2475	1650	4,87	1
	3850	1570	2475	1650	6,04	1
	4600	1570	2475	1650	7,22	2
	5400	1570	2475	1650	8,48	2
	6100	1570	2475	1650	9,58	2



LEAN-TO ACCOYA FUSION





MINI

Ξ

Width (mm)	Lenght (mm)	Height (mm)	Door/Side height (mm)	Area (m²)
1200	660	1770	1270	0,74
1740	660	1770	1270	1,07
2280	660	1770	1270	1,40
.,	000	.,,,	.2.0	, .



Material:



Strong aluminium profiles

Aluminum profiles for greenhouse frames offer a lightweight, durable, and corrosion-resistant solution for greenhouse structure construction. These profiles provide strength and stability while allowing flexibility in design and assembly. The use of aluminum ensures long lifespan and low maintenance, making it ideal for handling various weather conditions. Additionally, aluminum profiles enable easy customization, allowing for tailored greenhouse designs for specific needs such as glass options and structural support. Overall,

aluminum profiles ensure the efficiency and longevity of greenhouse facilities, serving as a reliable framework for optimal plant growth and protection.

Ridge and door height:

For 235 cm wide greenhouses: 232 cm ridge height and 165 cm door height.

For 310 cm wide greenhouses: 267 cm ridge height and 185 cm door height.

High-quality aluminum profiles for optimal durability.

Sliding door on one side or double sliding door.

Integrated gutter system

Integrated aluminium plinth. 12 year warranty.

Glazing options:



Polycarbonate

Polycarbonate is a durable and lightweight material widely used in greenhouse construction due to its exceptional properties for a lower price.



Tempered Safety Glass

4 mm tempered glass is highly resistant to impacts, making it a safe option for greenhouses where there is a risk of damage from hail, falling debris, or accidental collisions.



Tempered Self-Cleaning Glass

4 mm self-cleaning glass coating enhances transparency in wet weather conditions. It has dirt-repellent properties and contributes to less cleaning.



Tempered Mirror Glass

By reflecting sunlight, it optimizes the greenhouse environment, especially in regions with limited sunlight or during colder seasons. However, careful consideration is required to prevent potential issues such as hot spots and glare, ensuring optimal conditions for plant growth.

Crossbars:

Made from high-quality aluminum and designed to match the color of your greenhouse. Perfect accessory to elevate the aesthetic value.





Option 1 Option 2

Roof window opener:



Automatic greenhouse window opener ventilates your greenhouse even when you are elsewhere! Starts opening at +15-25°C. The window opener opens up to 45 cm.



Storm-proof automatic window opener that can lift 70% more weight than our smaller openers. Compact design - the opener will always fit within the window frame. It has a wide opening range, allowing for optimal conditions for plants.


Door options:








Greenhouse Height:





Standard


+20 cm

Painting the greenhouse in your color of choice:

RAL color options that we offer



Door options:



Decorative roof ridge:



Roof window opener:





